

Electric Monorack





Fully electric, energy-saving, compact

The unique Monorack transport system is weather-resistant and can be adapted to almost any terrain thanks to its flexible rail concept. The modular and simple construction allows the installation to be erected without foundations or additional structural measures. The vehicle is guided on a fixed rail and is driven by a spline system under the rail. A disc motor with downstream planetary transmission provides the necessary drive power. The electrical power is provided by a 48 V lithium-ion battery of the latest generation, which is automatically charged at defined stations. The Monorack is operated via a waterproof control panel and requires no previous knowledge. It is possible to operate the vehicle via remote control.

The safety concept complies with the required standard according to the European Machinery Directive and guarantees safe operation. In the event of a

power failure or technical defect, the Monorack is automatically brought to a standstill and blocked on the rail.

Specifications

Driving speed	0.7 m/s
Motor power	6 kW
Drive torque	640 Nm
Standard battery	3.6 kWh (expandable)
Operating voltage	48 V
Battery charger	1 kW / 230 V
Range (standard battery)	60 min. uphill
Payload (1 seat + 1 luggage carrier)	160 kg
Max. gradient	100 % / 45°
Curve radius	4 m
Rail height	0.45 - 3.00 m

The modern way of ascent

Whether for the development of a property or to reach the landing stage, the flexible rail construction, modern controls, and the latest battery technology mean there are almost no limits to the MRK300's field of application.

Highest ride comfort on narrow rails

- Pivoting seat for automatic level compensation for all passengers
- Easy to operate
- Comfortable seating position
- Driving style adapted to the line
- Pocket-size remote control
- Low noise thanks to revised drive

Sophisticated quality

- Robust construction
- High availability in every weather
- Reliable and low maintenance
- Low maintenance costs
- Long service life

Powerful and long-lasting

- Latest lithium-ion battery technology
- Powerful and maintenance-free electric disc motor
- Reliable and proven controls

- Suitable for the widest variety of terrains
- Flexible and environmentally friendly

Safety guaranteed

- Independent permanent-magnetic emergency brake
- Emergency operation during power failure
- All-round route monitoring for driverless operation
- Certified according to the European Machinery Directive 2006/42/EC

Adapted to your needs

- Maximum flexibility in line route
- Minimal space requirement due to slim design
- Controls adapted to individual needs
- Vehicle can be combined according to customer requirements
- Different designs available
- In addition to passenger transport, material transport of up to 200 kg is possible

We have many years of experience in the planning and implementation of sophisticated Monorack installations. Even after start-up, you can count on us to be there for you whenever you need us.





Doppelmayr Seilbahnen GmbH

Konrad-Doppelmayr-Strasse 1, Postfach 20
6922 Wolfurt / Austria
T +43 5574 604
dm@doppelmayr.com
doppelmayr.com
monorack.doppelmayr.com

Garaventa AG

Birkenstrasse 47
6343 Rotkreuz / Switzerland
T +41 41 859 11 11
contact@garaventa.com
garaventa.com
monorack.garaventa.com